
H suffy (San Brun )

e: Genome-Wide Location and Function with the second secon



Crosslink protein to DNA In vivo with formaldehyde

Break open cells and shear DNA

Immunoprecipitate

Reverse-crosslinks, blunt DNA and ligate to unidirectional linkers

LM-POR

Hybridize to array

FIGURE 1

Genome-Wide Location and Function

Inventors: John Wyrick, et al.




FIGURE 2

tle: Genome-Wide Location and Funct


ventors: John Wyrick, et al.

Interests:
RNA Polymerase II
SRB/Mediator Complex
General Transcription Factors
SWI/SNF Complex
SAGA

ORC complex DNA Polymerase


Titl Genome-Wide Location and Function...

Invenors: John Wyrick, et al.




e: Genome-Wide Location and Function

entors: John Wyrick, et al.



Genome-Wide Location and Function.

inv...ors: John Wyrick, et al.



s: Genome-Wide Location and Function antors: John Wyrick, et al.





FIGURE 6G

e: Genome-Wide Location and Function

entors: John Wyrick, et al.



e: Genome-Wide Location and Function

entors: John Wyrick, et al.





FIGURE 8


0399.1212-005 Docket No.:

itle: Genome-Wide Location and Funct

John Wyrick, et al. ventors:



10 5 Cy5 intensity (WCE) 10 10 FIGURE 9B 2 10 102 104 10<sup>3</sup> 10<sup>5</sup> Cy3 intensity (WCE)



Docket No.:

cket No.: 0399.1212-005
e: Genome-Wide Location and Function entors: John Wyrick, et al.

entors:







FIGURE 10B




0399.1212-005 Docket No.:

itle: Genome-Wide Location and Function wenters: John Wyrick, et al.





Docket No.: 0399.1212-005
Genome-Wide Location and Function Inters: John Wyrick, et al.



ļ.t

Docket No.: 0399.1212-005

Title: Genome-Wide Location and Function...

Inventors: John Wyrick, et al.




FIGURE 13

